

LR-E13-0111

EPP 5.4.2 Appendix B

AUG 0 1 2013

U.S. Nuclear Regulatory Commission ATTN: Document Control Desk Washington, DC 20555-0001

CERTIFIED MAIL

RETURN RECEIPT REQUESTED

ARTICLE NUMBER: 7011 1570 0001 8889 9171

SUBJECT:

REPORT OF IMPINGEMENT OF SHORTNOSE STURGEON

SALEM GENERATING STATION UNIT NO. 1

DOCKET NO. 50-272

The Nuclear Environmental Event Report, "Report of Impingement of Shortnose Sturgeon" is being submitted pursuant to the requirements of Section 5.4.2 of Appendix B, Environmental Protection Plan, to the Operating License for the Salem Generating Station, PSEG Nuclear LLC (PSEG).

Please find enclosed a letter and two attachments with further information regarding this impingement event.

If you have any questions or require additional information, please do not hesitate to contact Kenneth Strait, Manager – Biological Programs at (856) 339-3929.

Sincerely,

Lawrence M. Wagner Plant Manager - Salem

PSEG Nuclear LLC

Attachments (2)

IE23

REPORT OF IMPINGEMENT OF SHORTNOSE STURGEON

In accordance with Section 5.4.2 of Appendix B, Environmental Protection Plan, to the Operating License for the Salem Generating Station, PSEG Nuclear LLC (PSEG) hereby transmits notification of a nonroutine event, and documents the occurrence and removal of a shortnose sturgeon (*Acipenser brevirostrum*) from the Salem Generating Station circulating water intake structure trash bars.

Consultation pursuant to Section 7 of the Endangered Species Act of 1973 (ESA) between NRC and the National Marine Fisheries Service (NMFS) on the effects of the operation of Salem Station on threatened and endangered species has been ongoing since 1979. The most recent revision to the Biological Opinion and Incidental Take Statement issued in January 1999 exempts the specified annual take of shortnose sturgeon and sea turtles. In advance of relicensing for Salem Station, consultation pursuant to Section 7 of the ESA between NRC and NMFS was reinitiated in 2009. On April 6, 2012, the NMFS listed five Distinct Population Segments of Atlantic sturgeon as threatened or endangered under the ESA. In May 2012, NRC requested consultation on the effects of the continued operation of Salem Station on Atlantic sturgeon. The NMFS issued a draft Biological Opinion and Incidental Take Statement (ITS) in July 2012 that, when finalized, will authorize a specified incidental take of both Atlantic sturgeon and shortnose sturgeon associated with operation of the Salem Station circulating water intake system.

Pursuant to Section 5.4.2 of the Environmental Protection Plan for Salem Station, nonroutine events which require reporting to other federal agencies shall be reported in accordance with the other agencies' reporting requirements. Accordingly, enclosed please find two (2) attachments. Attachment 1 provides the information requested by the NMFS in Appendix II to the current ITS and in Appendix B, Part 2, to the revised draft ITS. Attachment 2 is a copy of a Sturgeon Salvage Form verbally requested by the NMFS.

There are no commitments contained in this letter.

LR-E13-0111 Document Control Desk

CC: Mr. William Dean, Administrator - Region I U. S. Nuclear Regulatory Commission 475 Allendale Road King of Prussia, PA 19406

Mr. John Hughey, Licensing Project Manager - Salem U. S. Nuclear Regulatory Commission One White Flint North 11555 Rockville Pike Mail Stop 0-4D-3 Rockville, MD 20852

USNRC Senior Resident Inspector - Salem Mail Code X24

Mr. P. Mulligan, Manager Bureau of Nuclear Engineering New Jersey Department of Environmental Protection PO Box 420 Mail Code: 33-01 Trenton, NJ 08625-0420

Ms. Lynn Lankshear National Marine Fisheries Service Protected Resources Division 55 Great Republic Drive, Suite 04-400 Gloucester, MA 01930

Ms. Karen Greene National Marine Fisheries Service 74 Magruder Road Highland, NJ 07732-4054

Mr. Dave Jenkins
Endangered and Nongame Species Program
New Jersey Department of Environmental Protection
1 Van Syckels Road
Clinton, NJ 08809

Salem Commitment Coordinator Mail Code X25

LR-E13-0111 **Document Control Desk**

Salem Site Vice President bc:

Salem Plant Manager

Director – Regulatory Affairs

Manager – Nuclear Environmental Affairs

Manager – Biological Programs

Regulatory Assurance Manager – Salem

Records Management

STURGEON SALVAGE FORM

For use in documenting dead sturgeon in the wild under ESA permit no. 1614 (version 05-16-2012)


	9		-0, 1 po	(110: 101: (1010)011:00:10-2	
INVESTIGATORS'S CONTACT I Name: First <u>Douglas</u> Last <u>Pot</u> Agency Affiliation <u>PSEG subcont</u> Address <u>100 South Cass Street</u> Area code/Phone number <u>(302) 3</u>			UNIQUE IDENTIFIER (Assigned by NMFS) DATE REPORTED: Month 07 Day 28 Year 2013 DATE EXAMINED: Month 07 Day 28 Year 2013		
SPECIES: (check one) shortnose sturgeon Atlantic sturgeon Unidentified Acipenser species Check "Unidentified" if uncertain. See reverse side of this form for ald in identification.	River/Body of Wa Descriptive locate intake trash racks Nuclear LLC.	ater Delaware River ion (be specific) <u>Remo</u> s during routine trash	City <u>Hanc</u> oved from (rack clean	each) ⊠Inshore (bay, river, ocks Bridge State NJ Circulating Water Intake Ing at the Salem Genera de 75° 32'10.08 W (Dec	Structure (CWIS) ting Station, PSEG
CARCASS CONDITION at time examined: (check one) 1 = Fresh dead 2 = Moderately decomposed 3 = Severely decomposed 4 = Dried carcass 5 = Skeletal, scutes & cartilage	SEX: Undetermined Female Mal How was sex detern Necropsy Eggs/milt presen Borescope	nined?	Fork lengt Total leng Length [Mouth wid Interorbita	MEASUREMENTS: Circle un Fork length 75.8 cm Fotal length 83.5 cm Length ☑ actual ☐ estimate Mouth width (inside lips, see reverse slde) Neight ☐ actual ☐ estimate Meight ☐ actual ☐ estimate	
TAGS PRESENT? Examined for Tag #	external tags inclu Tag Type	iding fin clips? 🔀 Ye		Scanned for PIT tags? of tag on carcass	Yes No
CARCASS DISPOSITION: (checomology) ☐ 1 = Left where found ☐ 2 = Buried ☐ 3 = Collected for necropsy/salvage ☐ 4 = Frozen for later examination ☐ 5 = Other (describe)	k one or more)	Carcass Necropsi Yes No Date Necropsied: Necropsy Lead:	ed?		? ⊠ Yes □ No Video Provided to PSEG tal Affairs and Nuclear
1	es 🔀 No How preserved		Disposit	ion (person, affiliation	, use)
	Total Maria				

Comments: The deceased Shortnose Sturgeon specimen was collected from the Salem Circulating Water Intake Structure, during routine trash rack cleaning, at 08:20am on July 28, 2013. Positive identification was made by Environmental Consulting Services personnel at 10:40am. Photos, length measurements, and an inspection for external/PITtags was made, and none were found. The fish is currently preserved (frozen) at ECSI office waiting for Instruction on further disposition. New Jersey DEP, Division of Fish and Wildlife was notified of the incidental take.

Distinguishing Characteristics of Atlantic and Shortnose Sturgeon (version 07-20-2009)

Characteristic	Atlantic Sturgeon, Acipenser oxyrinchus	Shortnose Sturgeon, Acipenser brevirostrum		
Maximum length	> 9 feet/ 274 cm	4 feet/ 122 cm		
Mouth	Football shaped and small. Width inside lips < 55% of bony interorbital width	Wide and oval in shape. Width inside lips > 62% of bony interorbital width		
*Pre-anal plates	Paired plates posterior to the rectum & anterior to the anal fin.	1-3 pre-anal plates almost always occurring as median structures (occurring singly)		
Plates along the anal fin	Rhombic, bony plates found along the lateral base of the anal fin (see diagram below)	No plates along the base of anal fin		
Habitat/Range	Anadromous; spawn in freshwater but primarily lead a marine existence	Freshwater amphidromous; found primarily in fre water but does make some coastal migrations		

^{*} From Vecsei and Peterson, 2004



Describe any wounds / abnormalities (note tar or oil, gear or debris entanglement, propeller damage, etc.). Please note if no wounds / abnormalities are found.

At the time of observation and data collection, the sturgeon was deceased. The specimen did not show any evidence of severe external damage (lacerations or missing fins), but did show minor bruising ventrally near the head, on the sides and stomach, between the pectoral and pelvic fins, around the vent, and the anal fins, and along the top of the caudal fin (locations identified in the illustration above.)


Data Access Policy: Upon written request, information submitted to National Marine Fisheries Service (NOAA Fisheries) on this form will be released to the requestor provided that the requestor credit the collector of the information and NOAA Fisheries. NOAA Fisheries will notify the collector that these data have been requested and the intent of their use.

Submit completed forms (within 30 days of date of investigation) to: Northeast Region Contacts – Shortnose Sturgeon Recovery Coordinator (Jessica Pruden, Jessica.Pruden@noaa.gov, 978-282-8482) or Atlantic Sturgeon Recovery Coordinator (Lynn Lankshear, Lynn.Lankshear@noaa.gov, 978-282-8473); Southeast Region Contacts- Shortnose Sturgeon Recovery Coordinator (Stephania Bolden, Stephania.Bolden@noaa.gov, 727-824-5312) or Atlantic Sturgeon Recovery Coordinator (Kelly Shotts, Kelly.Shotts@noaa.gov, 727-551-5603).


ATTACHMENT 1 (Sturgeon)

Observer's full name: Douglas E. Potts						
Reporter's full name: Douglas E. Potts						
Species Identification (Key attached): Shortnose Sturgeon (Acipenser brevirostrum)						
Site of Impingement (Unit 1 or 2, CWS or DWS, Bay #, etc.): Unit 1, 12B intake bay						
Date animal observed: 7/28/13 Time animal observed: 08:15						
Date animal collected: 7/28/13 Time animal collected: 08:20						
Date rehab facility contacted: Time animal conected: Time animal picked up:						
Date animal picked up: Time animal picked up:						
Environmental conditions at time of observation (i.e., tidal stage, weather): Air Temp - 23.3°C; Sal 3.0ppt; Wind - South; Sky - Overcast; Wave - Slight; Tide - Ebb2 (89.1)						
Date and time of last inspection of screen: 7/28/13 - 08:00 Water temperature (°C) at site and time of observation: 26.0°C						
Number of pumps operating at time of observation: Unit 16 Unit 26						
Average percent of power generating capacity achieved per unit at time of observation:						
Unit 1 100 Unit 2 100						
Average percent of power generating capacity achieved per unit over the 48 hours previous to						
observation: Unit 1 100 Unit 2 100						
observation.						
Sturgeon Information: Species Shortnose Sturgeon (Acipenser brevirostrum)						
Fork length (or total length) FL (758mm) / TL (835mm) Weight 2.2 kg						
Condition of specimen/description of animal						
Specimen was collected alive, and showed no severe external damage. Some evidence of minor bruising was observed along the sides and belly of the fish, between the pectoral and pelvic fins, anterior to the anal fin, and along the top of the caudal fin.						
Fish Decomposed: NO SLIGHTLY MODERATELY SEVERELY Fish tagged: YES / NO Please record all tag numbers. Tag #						
Photograph attached: YES / NO (please label species date geographic site and vessel name on back of photograph)						


ATTACHMENT 1 (Sturgeon) continued Photos




Shortnose sturgeon (Acipenser brevirostrum) collected on 7-28-13 at 08:20am by Salem yard crew during routine trash rack cleaning at PSEG Salem CWIS. Full view showing size and overall condition.




Ventral view of fish, showing wide mouth, as well as some of the external bruising observed.



Shortnose sturgeon; collected on 7-28-13. View of left side of head.




View of bruising around vent and between pelvic and anal fin. Also shows lack of bony plates along anal fin.



Shortnose sturgeon, collected on 7-28-13. Dorsal view of head.

ATTACHMENT 1 (Sturgeon) continued

Draw wounds, abnormalities, tag locations on diagram and briefly describe below



Description of fish condition:

At the time of observation and data collection, the sturgeon was deceased. The specimen did not show any evidence of severe external damage, such as lacerations, but did show minor bruising ventrally near the head, on the sides and stomach, between the pectoral and pelvic fins, around the vent, and the anal fins, and along the top of the caudal fin.